

## 1 HOUSE BILL NO. 622

2 INTRODUCED BY M. LANGE

3

4 A BILL FOR AN ACT ENTITLED: "AN ACT REVISING THE ELECTRICAL WIRING REQUIREMENTS FOR  
5 COMMERCIAL BUILDINGS; PROVIDING AN EXCEPTION; AND AMENDING SECTION 50-60-603, MCA."

6

7 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MONTANA:

8

9 **Section 1.** Section 50-60-603, MCA, is amended to read:10 **"50-60-603. Electrical codes to be adopted by department by rule -- prohibited wiring.** (1) The  
11 department of labor and industry shall adopt rules relating to the installation of wires and equipment to convey  
12 electrical current and installations of apparatus to be operated by current, except as provided in 50-60-602.13 (2) The department may adopt by reference the national fire protection association standard NFPA 70,  
14 national electrical code, in whole or in part, and may adopt rules more stringent than those in the national fire  
15 protection association standard NFPA 70, national electrical code.16 (3) It is unlawful for a person, partnership, company, firm, association, corporation, or other legal entity  
17 to install nonmetallic sheathed cable, commonly referred to as romex, in commercial buildings if the cable  
18 installation is inaccessible unless the cable installation is only necessary for providing temporary power during  
19 construction of the building. For the purpose of this subsection, the term "commercial building" does not include  
20 any individual or multiple residential living complex. A person who violates this subsection is guilty of a  
21 misdemeanor."

22

- END -